

What is Claimed Is:

1. A condom comprising:

(a) an elastic, cylindrical membrane having a closed end and an open

5 end; and

(b) an elastomeric restriction ring attached to said open end of said

cylindrical membrane, wherein said ring is adapted to fit over an erect human penis when stretched, and wherein said ring is further adapted to fit around the base of an erect human penis and place pressure thereon when relaxed, thereby constricting the flow of blood from

10 said penis.

2. The condom of claim 1, wherein said restriction ring is integrally molded with said open end of said cylindrical membrane.

3. The condom of claim 1, wherein said restriction ring is attached to a

15 surface of said cylindrical membrane.

4. The condom of claim 1, wherein said restriction ring is made from a material selected from the group consisting of natural rubber, silicone, polyurethane, polyvinyl

20 chloride and polyethylene.

5. The condom of claim 1, wherein said restriction ring comprises a band of elastic material.

6. The condom of claim 5, wherein said band is integrally molded with said

25 open end of said cylindrical membrane.

7. The condom of claim 5, wherein said band is attached to an interior surface of said open end of said cylindrical membrane.

5 8. The condom of claim 1, wherein said restriction ring further comprises protrusions disposed about an outer periphery of said restriction ring.

9. The condom of claim 8, wherein said protrusions are arranged in a regular circumferential array.

10 10. The condom of claim 8, wherein said protrusions are knob-like, dome-like or of spherical contour.

11. The condom of claim 8, wherein said protrusions have a diameter in the range of 0.07 to 0.3 inches.

15

12. The condom of claim 11, wherein said protrusions have a diameter of approximately 0.15 inches.

20 13. The condom of claim 8, wherein said protrusions may be gripped by fingers.

14. The condom of claim 1, wherein said condom is provided with a lubricant or spermicide on its outer surface.

25 15. The condom of claim 1, wherein said cylindrical membrane is formed from a material selected from the group consisting of latex and polyurethane.

16. A condom comprising:

(a) an elastic, cylindrical membrane having a closed end and an open end;

5 (b) an elastomeric restriction ring attached to said open end of said cylindrical membrane, wherein said ring is adapted to fit over an erect human penis when stretched, and wherein said ring is further adapted to fit around the base of an erect human penis and place pressure thereon when relaxed, thereby constricting the flow of blood from said penis; and

10 (c) protrusions disposed about an outer periphery of said restriction ring.

17. The condom of claim 16, wherein said protrusions are arranged in a regular circumferential array.

15 18. The condom of claim 16, wherein said protrusions are knob-like, dome-like or of spherical contour.

19. The condom of claim 16, wherein said protrusions have a diameter in the range of 0.07 to 0.3 inches.

20 20. The condom of claim 16, wherein said condom is provided with a lubricant or spermicide on its outer surface.